

**BOLESTI IZAZVANE PROTOZOAMA
TRIPANOPLAZMOZA**

Doc.dr Ksenija Aksentijević


30.03.2020.



- Flagelate u krvi
- Glavni simptom je anemija
- *Trypanoplasma borreli*
- *Trypanoplasma cyprini*
- *Trypanoplasma tincae*



- Prenose ih pijavice – *Picsicola geometra* i *Hemiclepsis marginata*
- Imaju dva biča a u sredini tela jedro dok je blefaroplast u prednjem delu tela
- Razmnožava se uzdužnom deobom







- Zima/proleće
- Mirne, kosi položaj blizu dna, anemične, blede škrge i endoftalmus, mršave



Dijagnoza i profilaksa

- Nalazom uzročnika u krvnom razmazu
- Uništavanje pijavica



TRIPANOZOMIJAZA







- *Trypanosoma danieliewsky*
- *Trypanosoma abramidis*
- *Trypanosoma remaki*
- *Trypanosoma percae*



- Flagelata iz roda tripanozoma
- Jedan bič okrenut unapred i ondulentnu membranu





- Prenose ih pijavice u kojima se odvija i deo razvojnog ciklusa tripanozoma



DIJAGNOZA I PROFILAKSA

- Nalaz uzročnika u krvnom razmazu
- Uništavanje pijavica

